

Revision Date: 11.09.2023 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Skalflex Sokkelpuds Vandtaet

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Danmark A/S
		Hirsemarken 5
		3520 Farum
Telephone	:	+45 48 18 85 85
E-mail address of person	:	EHS@dk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

.

Labelling (REGULATION (EC) No 1272/2008)							
Hazard pictograms	:	L Z					
Signal word	:	Danger					
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.				
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.				
		Prevention: P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face				

Skalflex Sokkelpuds Vandtaet

Print Date 08.11.2023

Revision Date: 11.09.2023 Date of last issue: - Version 1.0

protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expos	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.



Revision Date: 11.09.2023 Date of last issue: - Version 1.0

SECTION 4: First aid measures

4.1 Description of first aid meas	4.1 Description of first aid measures					
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.				
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.				
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.				
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.				
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.				
4.2 Most important symptoms a	nd e	effects, both acute and delayed				
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.				
Risks	:	irritant effects				
		Causes skin irritation. Causes serious eye damage.				
4.3 Indication of any immediate	me	dical attention and special treatment needed				
Treatment	:	Treat symptomatically.				
SECTION 5: Firefighting meas	sur	es				
5.1 Extinguishing media						
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.				



Revision Date: 11.09.2023	Version 1.0	Print Date 08.11.2
Date of last issue: -		

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses.
	No special environmental precautions required.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not

Revision Date: 11.09.2023

Date of last issue: -



Version 1.0

cmoko	Wach	hande	hoforo	brooke	and	at the	and of	workdow
smoke.	wasn	nanus	belote	breaks	anu	attrie	ena or	workday.

7.2 Conditions for safe storage, including any incompatibilities

areas and containers	:	place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	GV (Respirable dust)	0,1 mg/m3 (Silica)	DK OEL
		ation: Means that th ces considered carc		
		GV (total)	0,3 mg/m3 (Silica)	DK OEL
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL
	Further information: Means that the substance is included in the			
	list of substances considered carcinogenic.			
		S (total powder and dust)	0,6 mg/m3 (Silica)	DK OEL
		S (inhalable frac- tion)	0,2 mg/m3 (Silica)	DK OEL

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Total dust		GV	3 mg/m3	DK OEL
Dust		GV	0,5 mg/m3	DK OEL
Respirable dust		GV	5 mg/m3	DK OEL
Dust		GV	10 mg/m3	DK OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Skalflex Sokkelpuds Vandtaet



Revision Date: 11.09.2023 Date of last issue: -	Version 1.0	Print Date 08.11
Eye/face protection	: Safety glasses with side-shields conform Eye wash bottle with pure water	ming to EN166
Hand protection	 Chemical-resistant, impervious gloves of proved standard must be worn at all tim chemical products. Reference number l facturer specifications. 	nes when handling
	Recommended: Butyl rubber/nitrile rubb Contaminated gloves should be remove	
Skin and body protection	 Dust impervious protective suit Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long trou and protective boots are additionaly rec and stirring work. 	users). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear r Respirator selection must be based on exposure levels, the hazards of the pro- ing limits of the selected respirator. particulate filter P 	known or anticipated
	P1: Inert material; P2, P3: hazardous su Ensure adequate ventilation. This can be exhaust extraction or by general ventilation ods for determining inhalation exposure ticular to the mixing / stirring area. In can to keep the concentrations under the or limits then respiration protection measu	be achieved by local ition. (EN 689 - Meth- e). This applies in par- ase this is not sufficent ccupational exposure
Environmental exposure co	ontrols	
General advice	 Try to prevent the material from entering courses. No special environmental precautions re 	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1 2				
Physical state Appearance Colour Odour	: : :	solid powder grey odourless		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				

Upper explosion limit / Up- : No data available per flammability limit

Skalflex Sokkelpuds Vandtaet



Revision Date: 11.09.2023 Date of last issue: -

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data ava

Skalflex Sokkelpuds Vandtaet

Print Date 08.11.2023

Revision Date: 11.09.2023 Date of last issue: - Version 1.0

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Skalflex Sokkelpuds Vandtaet

Print Date 08.11.2023

Revision Date: 11.09.2023 Date of last issue: - Version 1.0

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional
	local authority requirements.

Skalflex Sokkelpuds Vandtaet



Revision Date: 11.09.2023	Version 1.0	Print Date 08.11.2
Date of last issue: -		

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

European Waste Catalogue : 17 01 01 concrete

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors



Revision Date: 11.09.2023 Date of last issue: -	Version 1.0	Print Date 08.11.2
REACH Information:	All substances contained in our Products - registered by our upstream suppliers, and - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.	
REACH - Restrictions on the market and use of certain of mixtures and articles (Annex X	langerous substances,	ġ
REACH - Candidate List of Sul Concern for Authorisation (Arti		omponents are listed
REACH - List of substances su (Annex XIV)	bject to authorisation : Not applicable	3
Regulation (EC) No 1005/2009 plete the ozone layer	on substances that de- : Not applicable	3
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu- : Not applicable	3
Regulation (EC) No 649/2012 ment and the Council concerni of dangerous chemicals		9
Seveso III: Directive 2012/18/E jor-accident hazards involving	U of the European Parliament and of the Co dangerous substances. Not applicable	uncil on the control of ma-
Volatile organic compounds	: Law on the incentive tax for volatile organ (VOCV) no VOC duties	nic compounds
	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution prevention Not applicable	
GISCODE	: ZP1	
Product registration number	: 4501794	
Waste Group	: X	
Reference	 Arbejdstilsynets bekendtgørelse nr. 301 a fastsættelse af kodenumre. Bekendtgørelse nr. 21 af 16. januar 1996 stoffer og produkter. Arbejdstilsynets bekendtgørelse nr. 1793 	af lov om kemiske

Skalflex Sokkelpuds Vandtaet

Print Date 08.11.2023

Revision Date: 11.09.2023 Date of last issue: - Version 1.0

arbejde med stoffer og materialer (kemiske agenser). Bekendtgørelse nr. 1794 af 18/12/2015 om særlige pligter for fremstillere, leverandører og importører mv. af stoffer og materialer efter lov om arbejdsmiljø. Arbejdstilsynets bekendtgørelse nr. 239 af 6. april 2005 om unges arbejde. Miljøstyrelsens bekendtgørelse nr. 1369 af 25/11/2015 om begrænsning af VOC. AT-Vejledning C.0.1 August 2007: Grænseværdier for stoffer og materialer. EU forordningen 1907/2006 (REACH). EU forordningen 1272/2008 (CLP). Bekendtgørelse nr. 48 af 13/01/2010 om affald. EU forordning 453/2010 (Opdatering til CLP).

Other regulations:


Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H315 H318 H335	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam. Skin Irrit. STOT SE DK OEL DK OEL / S DK OEL / GV ADR	:	Serious eye damage Skin irritation Specific target organ toxicity - single exposure Denmark. Occupational Exposure Limits Exposure period of 15 minutes Long term exposure limit European Agreement concerning the International Carriage of		
CAS DNEL EC50 GHS IATA IMDG LD50		Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		



Further information

Classification of the mixtu	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN

